

CERAMIC FAN HEATER

Collection Ceramic Tower Heater

CERAMIC FAN HEATER



- ◆ Our fan heaters are perfect for any use and decoration. It is ideal for the bedroom, living room, bathroom, office or anywhere as a supplement or on-site heating.
- ◆ Our heaters has a variety of styles, you can choose the heater according to your needs.



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH101N

Maximum power: 600W



Wind speed

With Tip-over switch

- ◆ 1 Heating setting: 600W
- ◆ Voltage: 230V
- ◆ Frequency: 50/60Hz
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Color: Green/pink/blue
- ◆ Unit Weight: 0.5 KGS
- ◆ Unit Dimensions: 121*103*194 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



Power protection



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH103

Maximum power: 2000W

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Cool ventilation (for summer use)
- ◆ With carry handle
- ◆ Unit Weight: 0.81 KGS
- ◆ Unit Dimensions: 222*132*263 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Cool ventilation



Power protection



Wind speed



Power adjustment



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH104

Maximum power: 2000W

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Cool ventilation (for summer use)
- ◆ With carry handle
- ◆ Unit Weight: 0.9 KGS
- ◆ Unit Dimensions: 222*132*263 MM



Constant temperature heating



Overheating protection



Lasting constant temperature




2 heat speeds



Cool ventilation



Power protection



Wind speed



Power adjustment



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

Maximum power: 2000W

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ With carry handle
- ◆ Unit Weight: 1 KGS
- ◆ Unit Dimensions: 255*125*250 MM

MODEL: FH106



Constant temperature heating



Overheating protection



Lasting constant temperature



Cool ventilation



2 heat speeds



Power protection



Power adjustment



Wind speed



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH116

Maximum power: 2000W

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ With carry handle
- ◆ Unit Weight: 0.9 KGS
- ◆ Unit Dimensions: 255*125*250 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Power protection



Wind speed and Power adjustment



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH-105

Maximum power: 2000W

- ◆ 2 heat settings: 1000W/2000W
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety thermal fuse (safety thermostat)
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Anti-tip function
- ◆ With carry handle
- ◆ Power cord length (m): total 1.6m
- ◆ Unit Weight: 1 KGS
- ◆ Unit Dimensions: 220*135*210 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Power protection

With Tip-over switch



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



FAN HEATER

Collection Fan Heater

MODEL: FH-505

Maximum power: 2000W

With Tip-over switch

- ◆ 2 heat settings: 1000W/2000W
- ◆ Heater type: Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety thermal fuse (safety thermostat)
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Anti-tip function
- ◆ With carry handle
- ◆ Power cord length (m): total 1.4m
- ◆ Unit Weight: 0.95 KGS
- ◆ Unit Dimensions: 220*150*230 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Power protection



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PTC903

Maximum power: 2000W

- 2 heat settings: 900W/1800W
- Voltage: 220-240V~
- Frequency: 50/60Hz
- Heater type: Fan heater
- Thermostat: MECHANICAL
- Safety Fuse inside
- Over heating protection
- PP material
- Unit Weight: 1.13 KGS
- Unit Dimensions: 172*142*218 MM

With Tip-over switch



Wind speed



Power adjustment



2 heat speeds



Constant temperature heating




Overheating protection



Lasting constant temperature



Cool ventilation



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PTC905

Maximum power: 1500W

- ◆ 2 heat settings: 750W/1500W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Unit Weight: 1.27 KGS
- ◆ Unit Dimensions: 261*127*173 MM



2 heat speeds



Constant temperature heating



Overheating protection




Lasting constant temperature



Power protection



Wind speed



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC TOWER HEATER

Collection Ceramic Tower Heater

MODEL: TPH1102RE

Maximum power: 2000W

With Weekly timer

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ PP material
- ◆ Auto tip-over switch protection
- ◆ With LED display
- ◆ Remote control with LCD display
- ◆ With Oscillation
- ◆ Temperature setting
- ◆ Unit Weight: 2.1 KGS
- ◆ Unit Dimensions: 245*208*553 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



With timer



Oscillating



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC TOWER HEATER

Collection Ceramic Tower Heater

MODEL: TPH1105

Maximum power: 2000W

With Weekly timer

- ◆ 2 heat settings: 1000W/2000W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ PP material
- ◆ Auto tip-over switch protection
- ◆ With LED display
- ◆ With Weekly timer
- ◆ LCD display
- ◆ With Oscillation
- ◆ Temperature setting
- ◆ Unit Weight: 2.34 KGS
- ◆ Unit Dimensions: 197*157*630 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

Maximum power: 1500W

- ◆ 2 heat settings: 750W / 1500W
- ◆ Heater type: PTC fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety thermal fuse (safety thermostat)
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Anti-tip function
- ◆ With carry handle
- ◆ With Oscillation
- ◆ Power cord length (m): total 1.6m
- ◆ Unit Weight: 1.25 KGS
- ◆ Unit Dimensions: 177*130*255 MM

MODEL: KPT-1500A



Constant temperature heating



2 heat speeds



Overheating protection



Lasting constant temperature



Power protection



Cool ventilation



Oscillating

With Tip-over switch



Power adjustment



Wind speed



Power switch



Handle position



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: HPC-D1504L


Maximum power: 1500W

With Tip-over switch

- ◆ 2 heat settings: 750W/1500W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Adjustable thermostat
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Over heating protection
- ◆ Black and White for option
- ◆ Cool and warm wind option
- ◆ 2 speed setting, Oscillating
- ◆ Unit Weight: 1.26 KGS
- ◆ Unit Dimensions: 160*145*220 MM



Wind speed and
Power adjustment



Constant
temperature heating



2 heat speeds



Overheating
protection



Lasting
constant temperature



Cool ventilation



Oscillating



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER


Collection Ceramic Fan Heater

MODEL: PTC-D1505L

Maximum power: 1500W

LED Display

- ◆ 2 heat settings: 750W/1500W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: digital
- ◆ Safety tip-over switch
- ◆ Over heating protection
- ◆ Black and White for option
- ◆ Cool and warm wind option
- ◆ Remote control for option
- ◆ LED display
- ◆ 2 speed setting, Oscillating
- ◆ Unit Weight: 1.26 KGS
- ◆ Unit Dimensions: 160*145*220 MM



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Cool ventilation



Oscillating



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PTC924A

Maximum power: 1800W

IP21 USED IN BATHROOM

- ◆ 2 heat settings: 900W/1800W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Tip-over switch protection
- ◆ Unit Weight: 1.37 KGS
- ◆ Unit Dimensions: 190*125*250 MM



Constant temperature heating



Overheating protection




Lasting constant temperature



2 heat speeds



Waterproof



Wind speed and Power adjustment



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PTC922

Maximum power: 1800W

IP21 USED IN BATHROOM

- ◆ 2 heat settings: 900W/1800W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Wide angle oscillation
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Tip-over switch protection
- ◆ Portable with Handle
- ◆ Unit Weight: 1.75 KGS
- ◆ Unit Dimensions: 219*150*285 MM



2 heat speeds



Constant temperature heating



Overheating protection



Lasting constant temperature




Oscillating



Waterproof



Cool ventilation



Wind speed



Power adjustment



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PTC924R

Maximum power: 1800W

24 hours timer

- ◆ 2 heat settings: 900W/1800W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ Thermostat: Digital
- ◆ Wide angle oscillation
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Tip-over switch protection
- ◆ Portable with Handle
- ◆ With LED display
- ◆ With remote control
- ◆ ECO function
- ◆ Unit Weight: 1.5 KGS
- ◆ Unit Dimensions: 190*125*250 MM

With LED display



Constant temperature heating



Overheating protection



Lasting constant temperature



2 heat speeds



Oscillating



With 24 hours timer



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PH601

Maximum power: 1800W

- ◆ 2 heat settings: 900W/1800W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ 80 degree oscillation
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Tip-over switch protection
- ◆ Portable with Handle
- ◆ Water capacity: 0.5L
- ◆ 2 steps Humidity capacity setting: I 120ml/hour II 160ml/hour
- ◆ Water scarcity protection
- ◆ With timer 12 hours
- ◆ Unit Weight: 1.17 KGS
- ◆ Unit Dimensions: 202*142*303 MM

With humidifier function



Constant temperature heating



Overheating protection



Lasting constant temperature




2 heat speeds



Oscillating



With 12 hours timer



Handle position

0.5L

Water level display



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC FAN HEATER

Collection Ceramic Fan Heater

MODEL: PH601L

Maximum power: 1800W

With humidifier function

- ◆ 2 heat settings: 900W/1800W
- ◆ Voltage: 220-240V~
- ◆ Frequency: 50/60Hz
- ◆ Heater type: Ceramic Fan heater
- ◆ 80 degree oscillation
- ◆ Safety Fuse inside
- ◆ Over heating protection
- ◆ Tip-over switch protection
- ◆ Portable with Handle
- ◆ With LED display
- ◆ With remote control
- ◆ Water capacity: 0.5L
- ◆ 2 steps Humidity capacity setting: I 120ml/hour II 160ml/hour
- ◆ Water scarcity protection
- ◆ With timer 12 hours
- ◆ Unit Weight: 1.17 KGS
- ◆ Unit Dimensions: 202*142*303 MM

With LED Display



2 heat speeds



Constant temperature



Overheating protection



Lasting



Oscillating



With 12 hours timer

Water level display



Handle position



0.5L



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC TOWER HEATER

Collection Ceramic Tower Heater

MODEL: PFH-2000H

Maximum power: 2000W

With oscillation

- ◆ 2 heat settings: 1000W/2000W
- ◆ Heater type: PTC fan heater
- ◆ Thermostat: MECHANICAL
- ◆ Safety thermal fuse (safety thermostat)
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Anti-tip function
- ◆ Cool ventilation (for summer use)
- ◆ With carry handle
- ◆ With tip-over switch
- ◆ Power cord length (m): total 1.6m
- ◆ Unit Weight: 2.3 KGS
- ◆ Unit Dimensions: 218*218*580 MM



2 heat speeds



Constant temperature heating



Overheating protection



Lasting constant temperature



Oscillating



Power protection



Cool ventilation



Power adjustment



Power switch



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682



CERAMIC TOWER HEATER

Collection Ceramic Tower Heater


MODEL: PFH-2000H LED

Maximum power: 2000W

With LED Display



Handle position



2 heat speeds



Constant temperature heating



Overheating protection



Lasting constant temperature



Power protection



Oscillating



Cool ventilation

- ◆ 2 heat settings: 1000W/2000W
- ◆ Heater type: PTC fan heater
- ◆ With LED display and with Remote control
- ◆ Safety thermal fuse (safety thermostat)
- ◆ Over heating protection
- ◆ Power auto off protection
- ◆ Anti-tip function
- ◆ Cool ventilation (for summer use)
- ◆ With carry handle
- ◆ With tip-over switch
- ◆ Power cord length (m): total 1.6m
- ◆ With oscillation
- ◆ Unit Weight: 2.3 KGS
- ◆ Unit Dimensions: 218*218*580 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,
Panyu Dis., Guangzhou 511442, China.
Tel: +86-20-39948682 Fax: +86-20-39948682

