

# REFRIGERATOR

Collection Refrigerator



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SINGLE DOOR MINI FREEZER

Collection single door Mini Freezer

Energy class: E

MODEL: BD-40

32L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost



Adjustable temperature

- ◆ ENERGY CLASS: E ◆ Total(L): 32
- ◆ Freezer(L): 32 L
- ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz
- ◆ Refrigerant: R600a, Noise: 40 dB
- ◆ Adjustable Leg ◆ Handle: Recessed
- ◆ Key/Lock: Optional
- ◆ Temp. Control: Mechanic
- ◆ Defrosting: Manual
- ◆ Condenser: Inside
- ◆ Interior Light: No ◆ Reversible door
- ◆ One slide-out wire shelf
- ◆ Ice scraper included
- ◆ Unit Weight: 14 KGS
- ◆ Unit Dimensions: 470\*450\*510 MM



Can store fresh fruits, vegetables, drinks, skin care products, etc



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# TABLE SINGLE DOOR FREEZER

Collection Table Single door Freezer

MODEL: BD-60

Energy class: E

43L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost



- ◆ ENERGY CLASS: E ◆ Total(L): 43 ◆ Freezer(L): 43 L
- ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz
- ◆ Refrigerant: R600a, Noise: 40
- ◆ Adjustable Leg ◆ Handle: Recessed
- ◆ Key/Lock: Optional
- ◆ Temp. Control: Mechanic
- ◆ Defrosting: Manual ◆ Condenser: Inside
- ◆ Interior Light: No ◆ Reversible door
- ◆ One slide-out wire shelf
- ◆ Ice scraper included
- ◆ Unit Weight: 18 KGS
- ◆ Unit Dimensions: 470\*450\*510 MM



Can store fresh fruits, vegetables, drinks, skin care products, etc



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SINGLE DOOR REFRIGERATOR

Collection Single door Refrigerator

MODEL: BC-48

Energy class: E

46L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost



Can store fresh fruits, vegetables, drinks, skin care products, etc

- ◆ ENERGY CLASS: E ◆ Total(L): 46
- ◆ Refrigerator(L): 46 L
- ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz
- ◆ Refrigerant: R600a, Noise: 40dB
- ◆ Adjustable Leg ◆ Handle: Recessed
- ◆ Key/Lock: Optional ◆ Interior Light: No
- ◆ Temp. Control: Mechanic
- ◆ Defrosting: Manual ◆ Condenser: Inside
- ◆ Mechanical temperature control
- ◆ Separate chiller compartment for short term storage
- ◆ Reversible door Recessed handle
- ◆ Unit Weight: 14 KGS
- ◆ Unit Dimensions: 450\*450\*510 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SINGLE DOOR REFRIGERATOR

Collection Single door Refrigerator

MODEL: BC-70

Energy class: E

60L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost



Chiller compartment



- ◆ ENERGY CLASS: E ◆ Total(L): 60
- ◆ Refrigerator(L): 60 L
- ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz
- ◆ Refrigerant: R600a, Noise: 40
- ◆ Adjustable Leg ◆ Recessed handle
- ◆ Key/Lock: Optional
- ◆ Temp. Control: Mechanic
- ◆ Defrosting: Manual ◆ Condenser: Inside
- ◆ Interior Light: No ◆ Reversible door
- ◆ Mechanical temperature control
- ◆ Separate chiller compartment for short term storage
- ◆ Unit Weight: 16 KGS ◆ Unit Dimensions: 470\*450\*632 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SINGLE DOOR REFRIGERATOR

Collection Single door Refrigerator

MODEL: BC-95

Energy class: F

85L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost

- ◆ ENERGY CLASS: F ◆ Total(L): 85 ◆ Refrigerator(L): 85 L
- ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz
- ◆ Refrigerant: R600a, Noise: 40 ◆ Adjustable Leg
- ◆ Handle: Recessed ◆ Key/Lock: Optional
- ◆ Temp. Control: Mechanic ◆ Defrosting: Manual
- ◆ Condenser: Inside ◆ Interior Light: No
- ◆ Mechanical temperature control ◆ Reversible door
- ◆ Separate chiller compartment for short term storage
- ◆ Unit Weight: 20 KGS ◆ Unit Dimensions: 470\*450\*850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SINGLE DOOR REFRIGERATOR

Collection Single door Refrigerator

MODEL: BC-95X

Energy class: F

85L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Defrost



Chiller compartment



- ◆ ENERGY CLASS: F ◆ Total(L): 85L ◆ Freezer(L): 2-star 10 L
- ◆ Refrigerator(L): 75 L ◆ PERFORMANCE: Climate Class: N/ST
- ◆ Power(V~/Hz): 220-240V/50Hz ◆ Refrigerant: R600a, Noise: 40
- ◆ Adjustable Leg ◆ Handle: Recessed ◆ Key/Lock: Optional
- ◆ Temp. Control: Mechanic ◆ Defrosting: Manual
- ◆ Condenser: Inside ◆ Interior Light: No
- ◆ Mechanical temperature control ◆ Reversible door
- ◆ Separate chiller compartment for short term storage
- ◆ Unit Weight: 20 KGS ◆ Unit Dimensions: 470\*450\*850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# RETRO REFRIGERATOR

Collection Retro Refrigerator

MODEL: BCD-83LH

Energy class: F

81L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Defrost



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 81L
- ◆ Freezer capacity: 24L ◆ Door style: Foaming door ◆ Climate class: N/ST
- ◆ Energy class:F ◆ Noise level: 41 dB ◆ Finishing: (material/color) PCM/Colorful
- ◆ Reversible door: No ◆ Adjustable leg: Yes ◆ Recessed handle: Yes
- ◆ Mechanical temperature control: Yes ◆ Defrosting function: Automatic
- ◆ Refrigerant: R600a ◆ Foam blowing agent: cyclopentane ◆ CFC free: yes
- ◆ Fridge: No. of shelf: 1, Shelf material: glass, Shelf position adjustable: No, No. of fixed door rack: 2/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf:No, Drawer/shelf material: N/A, Door rack:1/PS
- ◆ Accessories: Egg tray:Yes, ice cube maker: Yes
- ◆ Unit Weight: 25 KGS ◆ Unit Dimensions: 480\*525\*910 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# RETRO REFRIGERATOR

Collection Retro Refrigerator

MODEL: BC-96LH

Energy class: F

90L



Mechanical temperature



Noise level 41 dB




Refrigerant R600a



Defrost

No ice cube maker



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 90L
- ◆ Freezer capacity: 10L ◆ Door style: Foaming door
- ◆ Climate class: N/ST ◆ Energy class:F ◆ Noise level: 41 dB
- ◆ Finishing: (material/color) PCM/Colorful
- ◆ Reversible door: No ◆ Adjustable leg: Yes ◆ Recessed handle: Yes
- ◆ Mechanical temperature control: Yes ◆ Defrosting function: Automatic
- ◆ Refrigerant: R600a ◆ Foam blowing agent: cyclopentane
- ◆ CFC free: yes ◆ Fridge: No. of shelf: 1, Shelf material: glass, Shelf position adjustable: YES, No. of fixed door rack: 3/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf:No, Drawer/shelf material: N/A, Door rack: N/S
- ◆ Accessories: Egg tray:Yes, ice cube maker: NO
- ◆ Unit Weight: 23 KGS ◆ Unit Dimensions: 480\*545\*890 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# RETRO REFRIGERATOR

Collection Retro Refrigerator

Energy class: F

MODEL: BC-108LH

108L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Defrost



Ice cube maker



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 108L
- ◆ Freezer capacity: 13L ◆ Door style: Foaming door ◆ Climate class: N/ST
- ◆ Energy class:F ◆ Noise level: 41 dB ◆ Refrigerant: R600a ◆ Reversible door: No
- ◆ Finishing: (material/color) PCM/Colorful ◆ Adjustable leg: Yes
- ◆ Recessed handle: Yes ◆ Mechanical temperature control: Yes ◆ CFC free: yes
- ◆ Defrosting function: Automatic ◆ Foam blowing agent: cyclopentane
- ◆ Fridge: No. of shelf: 1, Shelf material: glass, Shelf position adjustable: Yes, No. of fixed door rack: 3/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf : No, Drawer/shelf material: No Door rack: No
- ◆ Accessories: Egg tray:Yes, Ice cube maker: YES
- ◆ Unit Weight: 27 KGS ◆ Unit Dimensions: 550\*615\*875 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# RETRO REFRIGERATOR

Collection Retro Refrigerator

Energy class: F

MODEL: BC-125LH

121L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Defrost



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 121L ◆ Freezer capacity: 0 L
- ◆ Door style: Foaming door ◆ Climate class: N/ST ◆ Energy class:F ◆ Noise level: 41 dB
- ◆ Finishing: (material/color) PCM/Colorful ◆ Reversible door: No ◆ Adjustable leg: Yes
- ◆ Recessed handle: Yes ◆ Mechanical temperature control: Yes ◆ Defrosting function: Automatic
- ◆ Refrigerant: R600a ◆ Foam blowing agent: cyclopentane ◆ CFC free: yes
- ◆ Fridge: No. of shelf: 2, Shelf material: glass, Shelf position adjustable: Yes, No. of fixed door rack: 3/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf : No, Drawer/shelf material: No Door rack: No ◆ Accessories: Egg tray:Yes, ice cube maker: YES
- ◆ Unit Weight: 28 KGS ◆ Unit Dimensions: 550\*615\*875 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# RETRO REFRIGERATOR

Collection Retro Refrigerator

MODEL: BCD-215VF

Energy class: F

215L



Mechanical temperature



Noise level  $\leq 45$  dB



Refrigerant R600a



Defrost



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 215L ◆ Fridge capacity: 44L ◆ Freezer capacity: 45L
- ◆ Colors:white, red, black, blue ◆ Climate type:SN/N/ST ◆ Energy class:F ◆ Noise level(dB): $\leq 45$  ◆ Adjustable leg
- ◆ Mechanical temperature control ◆ Crystal balcony ◆ Crystal vegetable crisper with glass cover
- ◆ Plastics handle in chrome finishing ◆ Defrost ◆ Refrigerant: R600a ◆ Foam blowing agent: cyclopentane
- ◆ CFC free: yes ◆ Fridge: No. of shelf: 2, Shelf material: glass, Shelf position adjustable: No, No. of fixed door rack: 2/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf:No, Drawer/shelf material: N/A, Door rack:1/PS
- ◆ Accessories: Egg tray:Yes, Ice cube maker: Yes
- ◆ Unit Weight: 46 KGS ◆ Unit Dimensions: 552\*621\*1482 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# RETRO REFRIGERATOR

Collection Retro Refrigerator

MODEL: BCD-310F

Energy class: F

300L



Mechanical temperature



Noise level 42 dB



Refrigerant R600a



Defrost



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Net capacity: 300L ◆ Fridge capacity: 216L ◆ Freezer capacity: 84L
- ◆ Colors:white, red, black, blue ◆ Climate type:SN/N/ST ◆ Energy class:F ◆ Noise level(dB): 42
- ◆ Mechanical temperature control ◆ Adjustable leg ◆ Crystal balcony ◆ Crystal vegetable crisper with glass cover
- ◆ Plastics handle in chrome finishing ◆ Defrost ◆ Refrigerant: R600a ◆ Foam blowing agent: cyclopentane
- ◆ CFC free: yes ◆ Fridge: No. of shelf: 2, Shelf material: glass, Shelf position adjustable: No, No. of fixed door rack: 2/PS, No. of vegetable crisper drawer: 1, Vegetable crisper material: PS, Glass Cover: Yes, Interior lamp: Yes, With Top cover: Yes
- ◆ Freezer: No. of drawer/shelf:No, Drawer/shelf material: N/A, Door rack:1/PS
- ◆ Accessories: Egg tray:Yes, ice cube maker: Yes ◆ Unit Weight: 46 KGS ◆ Unit Dimensions: 599\*628\*1920 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-235A5

Energy efficiency grade: E

R: 162L  
2~8°C  
3 Shelves

F: 73L  
-15~-22°C

## 235L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Adjustable Shelves

LED

Interior LED light

- ◆ Voltage/Frequency: 220V-240V/50Hz
- ◆ Freezing Star sign: \* \*\* \*
- ◆ Net Capacity(lts): R:162L/F:73L
- ◆ Energy Efficiency Level: A+
- ◆ Energy efficiency grade: E
- ◆ Compressor model/Manufacturer: DFB79U
- ◆ Voltage/Frequency: 220~240V/50Hz
- ◆ Condenser(inside or outside): Inside
- ◆ Refrigerant and charge amount: R600a/48g
- ◆ Foam materials: Cyclopentane+LBA
- ◆ Refrigeration temperature zone: 2~8°C
- ◆ Freezing temperature zone: -15~-22°C
- ◆ Crisper drawer: 1 Refrigerating shelves: 3 Freezing drawer: 3
- ◆ Light: LED
- ◆ Refrigerating door shelf: 3
- ◆ Unit Weight: 46 KGS
- ◆ Climate: SN/N/ST
- ◆ Total Efficient volume: 235L
- ◆ Energy certification: ERP
- ◆ Rated current: 0.6A
- ◆ Lamp power: 1W
- ◆ Level of noise(dB(A)): 40
- ◆ The number of rollers: 2
- ◆ Drain tray: 1
- ◆ Unit Dimensions: 545\*545\*1700 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-260A6

Energy efficiency grade: E



R: 187L  
2~8°C  
4 Shelves

F: 73L  
-15~-22°C



## 260L



Mechanical temperature



Noise level 40 dB



Refrigerant R600a



Adjustable Shelves



Interior LED light

- ◆ Voltage/Frequency: 220V-240V/50Hz
- ◆ Freezing Star sign: \* \*\* \*
- ◆ Net Capacity(lts): R:187L/F:73L
- ◆ Energy efficiency grade: E
- ◆ Compressor model/Manufacturer: DFB79U
- ◆ Voltage/Frequency: 220~240V/50Hz
- ◆ Condenser(inside or outside): Inside
- ◆ Refrigerant and charge amount: R600a/48g
- ◆ Foam materials: Cyclopentane+LBA
- ◆ Refrigeration temperature zone: 2~8°C
- ◆ Freezing temperature zone: -15~-22°C
- ◆ Crisper drawer: 1 Refrigerating shelves: 2 Freezing drawer: 3
- ◆ Light: LED
- ◆ Refrigerating door shelf: 4
- ◆ Unit Weight: 48 KGS
- ◆ Climate: SN/N/ST
- ◆ Total Efficient volume: 260L
- ◆ Energy Efficiency Level: A+
- ◆ Energy certification: ERP
- ◆ Rated current: 0.6A
- ◆ Lamp power: 1W
- ◆ Level of noise(dB(A)): 40
- ◆ Liner material: HIPS
- ◆ Door panel: PCM white
- ◆ The number of rollers: 2
- ◆ Drain tray: 1
- ◆ Unit Dimensions: 545\*545\*1823 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-282WE6

Energy efficiency grade: E

R: 202L  
2~8°C

F: 80L  
-15~-22°C

## 282L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Adjustable Shelves



Interior LED light

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST
- ◆ Freezing Star sign: **\*\*\*** ◆ Total Efficient volume: 282L
- ◆ Net Capacity(lts): R:202L/F:80L ◆ Energy Efficiency Level: A+
- ◆ Energy efficiency grade: E ◆ Energy certification: ERP
- ◆ Compressor model/Manufacturer: DFB79U
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser(inside or outside): Inside
- ◆ Defrost Input power: 131W ◆ Rated current: 0.7A ◆ Lamp power: 1.5W
- ◆ Refrigerant and charge amount: R600a/48g ◆ Foam materials: Cyclopentane+LBA
- ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 41 ◆ Light: LED ◆ Fan: 1 crisper drawer: 1 Refrigerating shelves: 3
- ◆ Freezing drawer: 3 Freezing shelves: 2 ◆ Drain tray: 1 ◆ Liner material: HIPS ◆ Door panel: PCM white
- ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 545\*615\*1825 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-282WEX6

Energy efficiency grade: E

282L


 Mechanical Temperature  
 Noise Level 41 dB  
 Refrigerant R600a  
 Adjustable Shelves  
 LED  
 Interior LED light  
 External display



External display

R: 202L  
2~8°C

F: 80L  
-15~-22°C

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign:  ◆ Total Efficient volume: 282L
- ◆ Net Capacity(lts): R:202L/F:80L ◆ Energy Efficiency Level: A+ ◆ External display ◆ Energy efficiency grade: E
- ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: DFB79U ◆ Voltage/Frequency:220~240V/50Hz
- ◆ Condenser(inside or outside): Inside ◆ Defrost Input power: 131W ◆ Rated current:0.7A ◆ Lamp power: 1.5W
- ◆ Refrigerant and charge amount: R600a/48g ◆ Foam materials: Cyclopentane+LBA ◆ Refrigeration temperature zone: 2~8°C
- ◆ Freezing temperature zone: -15~-22°C ◆ Level of noise(dB(A)): 41 ◆ Fan: 1 crisper drawer:1 Refrigerating shelves: 3
- ◆ Freezing drawer: 3 Freezing shelves: 2 ◆ Light: LED ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Drain tray: 1
- ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 545\*615\*1825 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-318WE6

Energy efficiency grade: E



## 318L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Adjustable Shelves



Interior LED light

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\*\*** ◆ Total Efficient volume: 318L
- ◆ Net Capacity(Its): R:219L/F:99L ◆ Energy Efficiency Level: A+ ◆ Energy efficiency grade: E ◆ Energy certification: ERP
- ◆ Compressor model/Manufacturer: DFB79U ◆ Voltage/Frequency:220~240V/50Hz ◆ Condenser(inside or outside): Inside
- ◆ Defrost Input power: 175W ◆ Rated current: 0.8A ◆ Lamp power: 2 W ◆ Refrigerant and charge amount: R600a/48g
- ◆ Foam materials: Cyclopentane+LBA ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 41 ◆ Fan: 1 crispener drawer:1 Refrigerating shelves: 3 ◆ Freezing drawer: 3 Freezing shelves: 2
- ◆ Light: LED ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2
- ◆ Drain tray: 1 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 595\*630\*1850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF318WEX6

Energy efficiency grade: E

External display

R: 202L  
2~8°C

F: 80L  
-15~-22°C

## 318L



Mechanical temperature



Noise level 41 dB



Refrigerant R600a



Adjustable Shelves



Interior LED light



External display

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\*** ◆ Total Efficient volume: 318L
- ◆ Net Capacity(Its): R:219L/F:99L ◆ Energy Efficiency Level: A+ ◆ External display ◆ Energy efficiency grade: E
- ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: DFB79U ◆ Voltage/Frequency:220~240V/50Hz
- ◆ Condenser(inside or outside): Inside ◆ Defrost Input power: 175W ◆ Rated current: 0.8A ◆ Lamp power: 2 W
- ◆ Refrigerant and charge amount: R600a/48g ◆ Foam materials: Cyclopentane+LBA ◆ Level of noise(dB(A)): 41
- ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C ◆ Light: LED
- ◆ Fan: 1 crisper drawer:1 Refrigerating shelves: 3 ◆ Freezing drawer: 3 Freezing shelves: 2
- ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2
- ◆ Drain tray: 1 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 595\*630\*1850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-540WE6

Energy efficiency grade: E

R: 399L  
2~8°C

LED  
Display



**538L**



F: 123L  
-15~-22°C

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\*** ◆ Total Efficient volume: 538L
- ◆ Net Capacity(Its): R:399L/F:123L ◆ Energy Efficiency Level: A+ ◆ Display method: LED Display(Freezer Door)
- ◆ Energy efficiency grade: E ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: Conventional
- ◆ Voltage/Frequency:220~240V/50Hz ◆ Condenser(inside or outside): Inside ◆ Freezing capacity(kg/24h):7
- ◆ Computer board model/Manufacturer: Wuxi Hodgen ◆ Refrigerant and charge amount: R600a/48g
- ◆ Foam materials: Cyclopentane+LBA ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 41 ◆ Fan: 1 crisper drawer:1 Refrigerating shelves: 3 ◆ Freezing shelf: 1 ◆ Light: LED
- ◆ Temperature compensation: Automatic ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3
- ◆ The number of rollers: 2 ◆ Drain tray: 1 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 836\*688\*1850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# DOUBLE DOOR REFRIGERATOR

Collection Double door Refrigerator

MODEL: TRF-540WED6

Energy efficiency grade: E

538L

R: 399L  
2~8°C

Mechanical temperature  
Noise level 41 dB  
Refrigerant R600a  
Adjustable Shelves  
Interior LED light  
LED display



F: 123L  
-15~-22°C

LED Display

Water Dispenser

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\*** ◆ Total Efficient volume: 538L
- ◆ Net Capacity(lts): R: 399L/F: 123L ◆ Energy Efficiency Level: A+ ◆ Display method: LED Display(Freezer Door)
- ◆ Water dispenser ◆ Energy efficiency grade: E ◆ Energy certification: ERP ◆ Voltage/Frequency: 220~240V/50Hz
- ◆ Compressor model/Manufacturer: Conventional ◆ Computer board model/Manufacturer: Wuxi Hodgen
- ◆ Condenser(inside or outside): Inside ◆ Freezing capacity(kg/24h): 7 ◆ Refrigerant and charge amount: R600a/48g
- ◆ Foam materials: Cyclopentane+LBA ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 41 ◆ Fan: 1 crisper drawer: 1 ◆ Refrigerating shelves: 3 ◆ Freezing shelf: 1 ◆ Light: LED
- ◆ Temperature compensation: Automatic ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3
- ◆ The number of rollers: 2 ◆ Drain tray: 1 ◆ Unit Weight: 48 KGS ◆ Unit Dimensions: 836\*688\*1850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.

Tel: +86-20-39948682 Fax: +86-20-39948682



# FRENCH DOOR REFRIGERATOR

Collection French door Refrigerator

MODEL: TRF-443WEXP6

Energy efficiency grade: E

LED  
Display

R: 300L  
2~8°C

F: 90L  
-15~-22°C

**390L**



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: ❄ ❄ ❄ ◆ Total Efficient volume: 390L
- ◆ Net Capacity(lts): R:300L/F:90L ◆ Energy Efficiency Level: A+ ◆ Display method: LED ◆ Energy efficiency grade: E
- ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: VFA090CY1 ◆ Voltage/Frequency:220~240V/50Hz
- ◆ Condenser(inside or outside): Inside ◆ Defrost Input power: 185W ◆ Rated current: 1.95A ◆ Lamp power: 3W
- ◆ Refrigerant and charge amount: R600a/48g ◆ Foam materials: Cyclopentane+LBA ◆ Light: LED
- ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C ◆ Level of noise(dB(A)): 41
- ◆ Fan: 1 crisper drawer:1 Refrigerating shelves: 3 ◆ Freezing shelf: 1 ◆ Temperature compensation: Automatic
- ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2
- ◆ Drain tray: 1 ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 703\*677\*1890 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# FRENCH DOOR REFRIGERATOR

Collection French Door Refrigerator

MODEL: BCD-523W

Energy efficiency grade: E



LED Display

R: 327L

F: 165L



## 492L



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(Its): R:327L/F:165L ◆ Energy Efficiency Level: A+
- ◆ Inverter / Fixed Frequency Compressor: inverter compressor
- ◆ Refrigerant: R600a ◆ Condenser: Skin Condenser ◆ Handle: Recessed handle
- ◆ Finishing(VCM/PCM): Silver/White/Black PCM ◆ Adjustable leg: Yes
- ◆ Temperature control: Electronic ◆ Ice making: Ice tray
- ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs ◆ Door rack: 6 pcs
- ◆ Shelf(tempered glass): 3 pcs ◆ Freezer Compartment Star Rating: **★ ★ ★ ★**
- ◆ Freezer drawer: 2 pcs ◆ Unit Weight: 92 KGS
- ◆ Unit Dimensions: 835\*706\*1830 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# CROSS DOOR REFRIGERATOR

Collection Cross Door Refrigerator

MODEL: BCD-450W

Energy efficiency grade: E

R: 288L

F: 129L

LED Display

**417L**



Mechanical temperature



Refrigerant R600a



Defrost



LED display

- ◆ Voltage/Frequency: 220V-240V/50Hz
- ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(lts): R:288L/F:129L
- ◆ Energy Efficiency Level: A+
- ◆ Finishing(VCM/PCM): Silver/White/Black PCM
- ◆ Inverter / Fixed Frequency Compressor: inverter compressor
- ◆ Refrigerant: R600a
- ◆ Condenser: Skin Condenser
- ◆ Handle: Recessed handle
- ◆ Adjustable leg: Yes
- ◆ Temperature control: Electronic
- ◆ Ice making: Ice tray
- ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs
- ◆ Door rack: 4 pcs
- ◆ Shelf(tempered glass): 3 pcs
- ◆ Freezer Compartment Star Rating: **\*\*\***
- ◆ Freezer drawer: 4 pcs
- ◆ Shelf(tempered glass): 1 pcs
- ◆ Unit Weight: 86 KGS
- ◆ Unit Dimensions: 836\*636\*1830 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# CROSS DOOR REFRIGERATOR

Collection Cross Door Refrigerator

MODEL: TRF-470WEXRP6

Energy efficiency grade: F

431L



Mechanical temperature



Noise level 41dB



Refrigerant R600a



Defrost



LED Interior LED light



LED Display



LED Display

R: 298L  
2~8°C

F: 133L  
-15~-22°C

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\*** ◆ Display method: LED
- ◆ Nominal volume of fridge chamber: 298 L ◆ Nominal volume of freezer chamber: 133 L ◆ Energy efficiency grade: F
- ◆ Energy certification: ERP ◆ Light: LED ◆ Compressor model/Manufacturer: PZ120H1Y ◆ Defrost Input power: 175W
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser(inside or outside): Inside ◆ Rated current: 0.9A ◆ Lamp power: 2W
- ◆ Level of noise(dB(A)): 41 ◆ Refrigerant and charge amount: R600a/77g ◆ Foam materials: Cyclopentane+LBA
- ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C ◆ Liner material: HIPS
- ◆ Fan: 1 crisper drawer:1 Refrigerating shelves: 3 ◆ Freezing shelf: 1 ◆ Temperature compensation: Automatic
- ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2 ◆ Drain tray: 1
- ◆ Unit Weight: 95 KGS ◆ Unit Dimensions: 833\*678\*1850 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682




# CROSS DOOR REFRIGERATOR

Collection Cross Door Refrigerator

Energy efficiency grade: E

MODEL: BCD-505W

451L



R: 321L  
Door rack:  
4 pcs

F: 130L



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(lts): R:321L/F:130L ◆ Energy Efficiency Level: A+
- ◆ Inverter / Fixed Frequency Compressor: Inverter compressor
- ◆ Refrigerant: R600a ◆ Condenser: Dynamic Condenser
- ◆ Finishing(VCM/PCM): Silver/White/Black PCM
- ◆ Handle: Recessed handle ◆ Adjustable leg: Yes
- ◆ Temperature control: Electronic ◆ Ice making: Ice tray
- ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs
- ◆ Door rack: 4 pcs ◆ Shelf(tempered glass): 2 pcs
- ◆ Freezer Compartment Star Rating: **✱✱✱✱**
- ◆ Freezer drawer: 6 pcs(including 2 pcs half drawer)
- ◆ Shelf(tempered glass): 1 pcs
- ◆ Unit Weight: 92 KGS ◆ Unit Dimensions: 911\*636\*1830 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# CROSS DOOR REFRIGERATOR

Collection Cross Door Refrigerator

MODEL: BCD-585W

Energy efficiency grade: E

542L



R: 367L  
Door rack:  
6 pcs



F: 175L

- ◆ Voltage/Frequency: 220V-240V/50Hz   ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(Its): R:367L/F:175L   ◆ Energy Efficiency Level: A+
- ◆ Inverter / Fixed Frequency Compressor: inverter compressor   ◆ Refrigerant: R600a
- ◆ Condenser: Dynamic Condenser   ◆ Finishing(VCM/PCM): Silver/White/Black PCM
- ◆ Handle: Recessed handle   ◆ Adjustable leg: Yes   ◆ Temperature control: Electronic
- ◆ Ice making: Ice tray   ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs
- ◆ Door rack: 6 pcs   ◆ Shelf(tempered glass): 3 pcs   ◆ Shelf(tempered glass): 2 pcs
- ◆ Freezer Compartment Star Rating: **\*\*\*\***   ◆ Freezer drawer: 4 pcs
- ◆ Unit Weight: 94 KGS   ◆ Unit Dimensions: 911\*706\*1830 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: TRF-505WEXP6

Energy efficiency grade: F

LED Display

R: 138L  
2~8°C

F: 26L  
-15~-22°C

**324L**



Mechanical temperature



Noise level 42 dB



Refrigerant R600a



Defrost 230W



Interior LED light



LED display

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: \* \* \* \* ◆ Display method: LED
- ◆ Fridge Cabinet efficient volume(L): 324 ◆ 3 Stars Freezer Zone volume(L): 138 ◆ 2 Stars Freezer Zone(L): 26
- ◆ Energy efficiency grade: F ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: PZ120H1Y
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser(inside or outside): Inside ◆ Defrost Input power: 230W
- ◆ Rated current: 1.0A ◆ Lamp power: 3W ◆ Refrigerant and charge amount: R600a/80g
- ◆ Foam materials: Cyclopentane+LBA ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 42 ◆ Fan: 1 crisper drawer:1 Refrigerator door shelf: 3 ◆ Freezing shelf: 1 ◆ Light: LED
- ◆ Temperature compensation: Automatic ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3
- ◆ The number of rollers: 2 ◆ Drain tray: 1 ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 920\*630\*1768 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: TRF-505WEXDP6

Energy efficiency grade: F

324L



Mechanical temperature



Noise level 42 dB



Refrigerant R600a



Defrost 230W



Interior LED light



LED display

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST
- ◆ Freezing Star sign: \* \*\* ◆ Fridge Cabinet efficient volume 324
- ◆ 3 Stars Freezer Zone volume(L): 138 ◆ 2 Stars Freezer Zone(L): 26
- ◆ Display method: LED ◆ Energy efficiency grade: F ◆ Water Dispenser: 2.5L
- ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: PZ120H1Y
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser (inside or outside): Inside
- ◆ Defrost Input power: 230W ◆ Rated current: 1.0A ◆ Lamp power: 3W
- ◆ Refrigerant and charge amount: R600a/80g ◆ Foam materials: Cyclopentane+LBA
- ◆ Refrigeration temperature zone: 2~8°C
- ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise (dB(A)): 42 ◆ Fan: 1 crisper drawer: 1
- ◆ Refrigerator door shelf: 3+1 water tank (+4 freezer)
- ◆ Freezing shelf: 1 ◆ Light: LED
- ◆ Temperature compensation: Automatic
- ◆ Liner material: HIPS
- ◆ Door panel: PCM white
- ◆ Refrigerating door shelf: 3
- ◆ The number of rollers: 2
- ◆ Drain tray: 1
- ◆ Unit Weight: 83 KGS
- ◆ Unit Dimensions: 920\*630\*1768 MM

R: 138L  
2~8°C

F: 26L  
-15~-22°C



Water Dispenser

2.5L



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

Energy efficiency grade: E

MODEL: BCD 456



R: 271L

F: 165L

## 436L



Mechanical temperature



Refrigerant R600a



Interior LED light



Defrost

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(Its): R:271L/F:165L ◆ Energy Efficiency Level: A+
- ◆ Inverter / Fixed Frequency Compressor: fixed frequency compressor
- ◆ Refrigerant: R600a ◆ Condenser: Dynamic Condenser
- ◆ Finishing(VCM/PCM): Silver/White/Black PCM ◆ Handle: Recessed handle
- ◆ Adjustable leg: Yes ◆ Temperatue control: Electronic ◆ Ice making:Ice tray
- ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs
- ◆ Door rack: 3 pcs ◆ Shelf(tempered glass):4 pcs
- ◆ Freezer Compartment Star Rating: \* \* \* \* ◆ Freezer drawer: 2 pcs
- ◆ Shelf(tempered glass): 4 pcs ◆ Door rack: 3 pcs
- ◆ Unit Weight: 80 KGS ◆ Unit Dimensions: 836\*636\*1780 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: BCD-518W

Energy efficiency grade: E



R: 331L  
Door rack:  
3 pcs

F: 165L

## 496L



Mechanical temperature



Refrigerant R600a



LED display



Defrost

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(Its): R:331L/F:165L ◆ Energy Efficiency Level: A+ ◆ Condenser: Dynamic Condenser
- ◆ Inverter / Fixed Frequency Compressor: fixed frequency compressor ◆ Refrigerant: R600a
- ◆ Finishing(VCM/PCM): Silver/White/Black PCM ◆ Handle: Recessed handle ◆ Adjustable leg: Yes
- ◆ Temperature control: Electronic ◆ Ice making: Ice tray ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs
- ◆ Door rack: 3 pcs ◆ Shelf(tempered glass):4 pcs ◆ Freezer Compartment Star Rating: **\* \*\* \***
- ◆ Freezer drawer: 2 pcs ◆ Shelf(tempered glass): 4 pcs ◆ Door rack: 3 pcs
- ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 911\*636\*1780 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: BCD-606WHI

Energy efficiency grade: E

552L



Mechanical temperature



Refrigerant R600a



Defrost

R: 377L

Automatic ice maker



F: 175L

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class
- ◆ Ambient Humidity testing standard: 85% Humidity ◆ Net Capacity(lts): R:377L/F:175L
- ◆ Energy Efficiency Level: A+ ◆ Finishing(VCM/PCM): Silver/White/Black PCM
- ◆ Inverter / Fixed Frequency Compressor: fixed frequency compressor ◆ Refrigerant: R600a ◆ Adjustable leg: Yes
- ◆ Condenser: Dynamic Condenser ◆ Handle: Recessed handle ◆ Temperature control: Electronic
- ◆ Ice making: Automatic ice maker ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs ◆ Door rack: 4 pcs
- ◆ Shelf(tempered glass):4 pcs ◆ Freezer Compartment Star Rating: **✳✳✳** ◆ Freezer drawer: 2 pcs
- ◆ Shelf(tempered glass): 3 pcs ◆ Door rack: 3 pcs ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 911\*706\*1780 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: BCD-606W

Energy efficiency grade: E

570L



R: 377L  
Door rack:  
4 pcs

F: 193L

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: T class ◆ Ambient Humidity testing standard: 85% Humidity
- ◆ Net Capacity(lts): R:377L/F:193L ◆ Energy Efficiency Level: A+ ◆ Finishing(VCM/PCM): Silver/White/Black PCM
- ◆ Inverter / Fixed Frequency Compressor: fixed frequency compressor ◆ Condenser: Dynamic Condenser
- ◆ Refrigerant: R600a ◆ Handle: Recessed handle ◆ Adjustable leg: Yes ◆ Temperature control: Electronic
- ◆ Ice making: Ice tray ◆ Refrigerator Compartment Refrigerator Drawer: 2 pcs ◆ Door rack: 4 pcs
- ◆ Shelf(tempered glass): 4 pcs ◆ Freezer Compartment Star Rating: \* \* \* \* ◆ Freezer drawer: 2 pcs
- ◆ Shelf(tempered glass): 4 pcs ◆ Door rack: 4 pcs ◆ Unit Weight: 84 KGS ◆ Unit Dimensions: 911\*706\*1780 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682



# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: TRF-633WEXP6


Energy efficiency grade: F

615L

  
Mechanical  
temperature

  
Noise level  
42 dB

  
Refrigerant  
R600a

  
Defrost  
230W

  
LED  
light

  
LED  
display

LED  
Display

R: 395L  
2~8°C

F: 220L  
-15~-22°C

- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: **\*\*\***
- ◆ Fridge Cabinet efficient volume(L): 395 ◆ 3 Stars Freezer Zone volume(L): 220 ◆ Display method: LED
- ◆ Energy efficiency grade: F ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: BMG110NHMV
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser(inside or outside): Inside ◆ Defrost Input power: 230W
- ◆ Rated current: 1.0A ◆ Lamp power: 3W ◆ Refrigerant and charge amount: R600a
- ◆ Foam materials: Cyclopentane+245fa ◆ Refrigeration temperature zone: 2~8°C
- ◆ Freezing temperature zone: -15~-22°C ◆ Level of noise(dB(A)): 42 ◆ Fan: 1 crisper drawer:1 Refrigerator door shelf: 3
- ◆ Freezing shelf: 1 ◆ Light: LED ◆ Temperature compensation: Automatic ◆ Liner material: HIPS
- ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3 ◆ The number of rollers: 2 ◆ Drain tray: 1
- ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 920\*735\*1768 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682





# SIDE BY SIDE REFRIGERATOR

Collection Side by Side Refrigerator

MODEL: TRF-631WEXDP6

Energy efficiency grade: F

615L



Water Dispenser



R: 395L  
2~8°C

F: 220L  
-15~-22°C



- ◆ Voltage/Frequency: 220V-240V/50Hz ◆ Climate: SN/N/ST ◆ Freezing Star sign: \*\*\*
- ◆ Fridge Cabinet efficient volume(L): 395 ◆ 3 Stars Freezer Zone volume(L): 220
- ◆ Display method: LED ◆ Energy efficiency grade: F ◆ Water Dispenser
- ◆ Energy certification: ERP ◆ Compressor model/Manufacturer: BMG110NHMV
- ◆ Voltage/Frequency: 220~240V/50Hz ◆ Condenser(inside or outside): Inside
- ◆ Defrost Input power: 230W ◆ Rated current: 1.0A ◆ Lamp power: 3W ◆ Refrigerant and charge amount: R600a
- ◆ Foam materials: Cyclopentane+245fa ◆ Refrigeration temperature zone: 2~8°C ◆ Freezing temperature zone: -15~-22°C
- ◆ Level of noise(dB(A)): 42 ◆ Fan: 1 crisper drawer:1 Refrigerator door shelf: 3 ◆ Freezing shelf: 1 ◆ Light: LED
- ◆ Temperature compensation: Automatic ◆ Liner material: HIPS ◆ Door panel: PCM white ◆ Refrigerating door shelf: 3
- ◆ The number of rollers: 2 ◆ Drain tray: 1 ◆ Unit Weight: 83 KGS ◆ Unit Dimensions: 920\*735\*1768 MM



SALOMON STAR LIMITED

Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue,  
Panyu Dis., Guangzhou 511442, China.  
Tel: +86-20-39948682 Fax: +86-20-39948682

