**Collection Electric Barbeque** 

### ELECTRIC BARBEQUE GRILL





#### **Collection Electric Barbeque**

### ELECTRIC TABLE BARBEQUE

**HEATING TUBE** 

**Adjustable** 

1200w

Auto thermostat

#### MODEL: YD316-1

Removable

- ♦ Grill size: 27\*25cm ♦ Operating on/off indicator light
  - Auto-thermostat control Various heat operation
  - Detached metal waterbase for smokeless cooking
     Indoor or outdoor use
- With micro switch cut off when take away the heating element under charging
  - Anti-rot and rustiness grill for healthy cooking
     Removable parts available for easy cleaning
  - Remark: within 3% increasing of copper's price
     Available color: Black

• Materials: Metal water tank after polish, powder coating finishing of other components, Stainless steel 304 Heating plate

- Voltage: 220-240V Power: 1200W Class I
- Power cord length (cm): 1.0M RUBBER cable, VDE PLUG, 0.75mm 2 rubber thread
   Dim: 360x350x83mm





**Collection Electric Barbeque** 



- Stainless steel 304 Heating plate + Voltage: 220-240V Power: 2000W Class I
- Power cord length (cm): 1.0M RUBBER cable, VDE PLUG, 0.75mm 2 rubber thread





#### **Collection Electric Barbeque**







#### **Collection Electric Barbeque**

### ELECTRIC TABLE & STAND BARBEQUE

2000w

Shelt

#### Table Use

#### **HEATING TUBE**

Removable

Auto

thermost

#### Adjustable

#### MODEL: YD307-1

- Grill size:58\*36cm(biggest size)
   Operating on/off indicator light
- Auto-thermostat control
   Various heat operation
- Detached metal waterbase for smokeless cooking
- Indoor or outdoor use
- With micro switch cut off when take away the heating element under charging and metalic windshield & Food warmer included
- windshield available as well as its storage small grill rack
- Removable parts available for easy cleaning
- Anti-rot and rustiness grill for healthy cooking
- Italian Food contact approval (using Stainless steel grill against upcost
- Thermostat control for temperature adjustment
- Materials: Metal water tank after polish, powder coating finishing of other components, Stainless steel 304 Heating plate
- Voltage: 220-240V Power: 2000W Class I
- Power cord length (cm): 1.0M RUBBER cable, VDE PLUG, 0.75mm 2 rubber thread
- Dim: 585x420x145mm



Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China. Tel: +86-20-39948682 Fax: +86-20-39948682



Stand Up Use

1400w

#### **Collection Electric Barbeque**

Auto

thermostat

Removable

### ELECTRIC CONTACT BARBEQUE



#### MODEL: YD302-1AL

- Diecast Aluminum grill plate: 40\*26cm
- Operating on/off indicator light
- Auto-thermostat control
   Various heat operation
- Detached metal waterbase for smokeless cooking
- Indoor or outdoor use
- With micro switch cut off when take away the heating element under charging, windshield included
- Anti-rot and rustiness grill for healthy cooking
- Thermostat control for temperature adjustment
- ◆ Color: Black, Red, White, Green, Yellow, Orange etc.
- Materials: Metal water tank after polish, powder coating finishing of other components, Stainless steel 304 Heating plate
- Voltage: 220-240V Power: 1400W Class I
- Power cord length (cm): 1.0M RUBBER cable, VDE PLUG, 0.75mm 2 rubber thread
- Dim: 385x450x172mm





**Collection Electric Barbegue** 

# ELECTRIC CONTACT BARBEQUE



Auto Removable thermosta

Windshield

Table Use

#### Adjustable

Diecast Aluminum grill plate: 40\*26cm

MODEL: YD302T AL

- Operating on/off indicator light
   Auto-thermostat control
- Various heat operation
   Indoor or outdoor use
- Detached metal waterbase for smokeless cooking
- With micro switch cut off when take away the heating element under charging, windshield included
- Anti-rot and rustiness grill for healthy cooking
- Thermostat control for temperature adjustment
- Color: Black, Red, White, Green, Yellow, Orange etc.
- Materials: Metal water tank after polish, powder coating finishing of other components, Stainless steel 304 Heating plate
- Voltage: 220-240V Power: 1400W Class I
- Power cord length (cm): 1.0M RUBBER cable, VDE PLUG, 0.75mm 2 rubber thread
- Dim: 385x450x172mm



Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue Panyu Dis., Guangzhou 511442, China. Tel: +86-20-39948682 Fax: +86-20-39948682

Shelf



**Stand Up Use** 

#### **Collection Electric Barbeque**

### ELECTRIC BBQ GRILL

1600w Portable Adjust

#### Detachable temperature control



#### MODEL: GR-103 38CM

Rack for Stocking foods

- Portable electric barbecue
- ◆ 120V 60Hz or 230V 50HZ 1600W ◆ Top lid for quick cooking and avoiding smoke
- One rack for cooking & one rack for stocking foods, but this rack is for option.
- Removable Temperature control with more sensitive function to adjust the temperature
   chrome plated clamp
   Easy to store & cleaning
- Every parts is detachable and easy to assemble without any assistance tools, easy to use
  - Good choice for PARTY and FRIENDS GATHERING 
     including 1pc grid
     Material: Stainless steel heating element, cold rolled steel cover
    - and bottom with paiting, bakelit feet
- SIZE: cooking grill or plate diameter: 38cm , bowl diameter: 41cm , feet height: 12cm ground to cooking grill height: 19cm, ground to closed toplid height: 34cm
   Dim: 410x410x350mm





Portable

1600w

Adjust thermostat

#### **Collection Electric Barbeque**


ELECTRIC BBQ GRILL

Rack for Stocking foods

#### MODEL: GR-103-S 38CM

◆ Portable electric barbecue ◆ 120V 60Hz or 230V 50HZ 1600W

Detachable Temperature Top lid for quick cooking and avoiding smoke
One rack for cooking & one rack for stocking foods , but this rack is for option.
Removable Temperature control with more sensitive function to adjust the temperature
Chrome plated clamp • Easy to store & cleaning
Every parts is detachable and easy to assemble without any assistance tools, easy to use
Good choice for PARTY and FRIENDS GATHERING • Including 1pc grid
Material: Stainless steel heating element, cold rolled steel cover and bottom painting, Iron stand and base etc
SIZE: cooking grill diameter: 38cm, bowl diameter: 41cm , feet diameter: 43cm , Stand height: 68cm, ground to closed toplid height : 80cm
Colors for option (Gray, black...)







Portable

2000w

Adjust

thermost

#### **Collection Electric Barbeque**





#### MODEL: R0906

#### MATERIAL

- 1. Baking plate: die-cast aluminum 40 x 37cm
- 2. Furnace holder, support holder, food lid: PP
- 3. Cover handle /oil collecting plate / cover ring: PA66+20%GF
- 4. Cover frame: stainless steel / galvanized plate spraying
- 5. Supporting tube: mirror stainless steel / carbon steel with non-stick
- 6. All parts can be cleaned by dishwasher except for anti-drenching thermostat
- Voltage and Power: 120V 1450W 230V 2000W (220-240V 1680-2000W)
- Cover: stone gray / mobile phone gray, cover handle: red spray
- Support tube: stainless steel glossy surface/carbon steel tube electrophoresis (black)
- Decorative sheet: stainless steel (Scrub pattern)
- Indoor and outdoor electric barbecue with touch handle
- Baking tray size: 40\*36cm cover net height: 9cm, grilling chicken, whole fish
- Electric barbecue with external thermostat, with 5 rating adjustment
- Barbecue can be supported on the support or placed on the desktop floor
- The baking plate with slope channel will be fat into the collecting plate
- Non-stick coating baking plate can be effortlessly clean residue grease
- Electric Barbecue in split packaging, users can be assembled according to the instructions for use, assembly does not involve special tools
- Dim: 590x490x900mm



Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China. Tel: +86-20-39948682 Fax: +86-20-39948682



Detachable

temperature

control

#### **Collection Electric Barbeque**







**Collection Electric Barbeque** 

### ELECTRIC BBQ GRILL

Stand Up Use

Sauce shelf

(1650W-1950W Adjust thermostat

Detachable

**Temperature** 

control

Non-Stick

MODEL: KYS-863

Non stick coating

- Detachable parts for easy cleaning
- Oil collector tray
- With Metal baffle+Rack
- Voltage: 220-240V 1650-1950W 50/60Hz
- Plug: VDE, Power Cord: 1.2m in rubber visible
- The grill can be used on its stand or off the stand when placed on a tabletop or on the ground
- Temperature contorl ensures food is cooked evenly and thoroughly
- Detachable temperature controller
- Nonstick coating for efforless food release
- Dim: 890x600x600mm

2 IN 1 grill plate Table Use





**Collection Electric Barbeque** 



- The grill only used on its stand.
- Temperature contorl ensures food is cooked evenly and thoroughly
- Drip tray with high capacity
- Dim: 510x360x92mm





**Collection Electric Barbeque** 

1650W-1950W

Sauce shelf

**Stand Up Use** 

**ON/ÒFF** 

### ELECTRIC BBQ GRIL



Optional

naffle&

#### MODEL: KYS-886

- Non stick coating
- Detachable parts for easy cleaning
- Large capacity zinc plate drip tray
- Optional with Metal baffle+Rack
- Voltage: 220-240V 1650-1950W 50/60Hz
- Plug: VDE, Power Cord: 1.2m in rubber visible
- The grill can be used on its stand or off the stand when placed on a tabletop or on the ground
- Drip tray with high capacity
- Dim: 510x360x850mm





**Collection Electric Barbeque** 







#### **Collection Electric Barbeque**

### ELECTRIC BBQ GRILL

#### MODEL: KYS-367A

- ◆ 220-240V, 50-<mark>60Hz, 1400-1600</mark>W
- Cooking area: 400\*400mm, 2/3 ribbed grill surface, 1/3 flat grill plate, nonstick coating grid for effortless food release
- Outdoor electric barbeque with cool-touch handles and high-domed lid
- Stand with condiment tray
- Avariable temperature controller with four setting to adjust
- Temperature controller: IPX4
- Center channel drains fat into large grease tray which below the surface

Adjust

nperatu

- Rubber/3G1.0mm2, (2.9 M power cord + thermostat)=3M length with plug
- Color: Dark grey/sliver
- Dim: 980x645x600mm

1400W-

1600W



Non-Stick

2/3 Ribbed Grill Surface, 1/3 Flat Grill Plate With Oil Discharge Hole



Color Option



Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China. Tel: +86-20-39948682 Fax: +86-20-39948682



**Stand Up Use** 

Sauce shelf

#### **Collection Electric Barbeque**

Non Stick

1400W

1600W

Adjust

**Stand Up Use** 

Trolley

### ELECTRIC BBQ GRIL

#### MODEL: KYS-367S

- ◆ 220-240V, 50-60Hz, 1400-1600W
- Stand with trolley
- Adjustable temperature; center channel drains fat into large grease tray
- Outdoor electric barbeque with cool-touch handle and removable high-domed lid
- Temperature controller: IPX4
- ◆ 2/3 ribbed grill surface,1/3 flat grllplate
- Nonstick coating for effortless food release
   The grill can be used on its stand or off
- ◆ Color: Grey, dark grey/silver ◆ Cook Area: 400x400mm

 Vith hock

 Vith hock



Add: Room 1401, Building 6 of Haiyin Xingyue, No. 383 Panyu Avenue, Panyu Dis., Guangzhou 511442, China. Tel: +86-20-39948682 Fax: +86-20-39948682

Table Use



SALOMON STAR LIMITED

Non-Stick

Adjust

1400W-1600W

#### **Collection Electric Barbeque**

### ELECTRIC BBQ GRIL

#### MODEL: KYS-3668

- ◆ 220-240V, 50-60Hz, 1400-1600W
- Outdoor electric barbeque with Cool-touch handles and high-domed lid.
- The grill can be used on its stand or off the stand when placed on a tabletop or on the ground.
- Center channel drains fat into large grease tray
- Nonstick coating for effortless food release ٠
- Adjustable temperature ٠
- **Temperature controller: IPX4** ٠
- **Optional Accessories: Thermometer**
- Color: dark grey/silver/ gold + Cook Area: 440x330mm
- Dim: 1230x430x950mm











**Stand Up Use** 



**Nonstick coating** 



Detachable Temperature control



Space Saving Storager



N STAR LIMITED





#### **Collection Electric Barbeque**





#### **Stand Up Use**







- 220-240V, 50-60Hz, 1400-1600W
- Outdoor electric barbeque with Cool-touch handles and high-domed lid.
- The grill can be used on its stand or off the stand when placed on a tabletop or on the ground.
- Center channel drains fat into large grease tray
- A variable temperature controller with four setting to adjust
- Temperature controller: IPX4
- Nonstick coating for effortless food release
- Optional Accessories: Thermometer
- ◆ Color: dark grey/silver/ gold ◆ Cook Area: 440x330mm
- Dim: 900x430x950mm



Non-Stick

400W-

600W

**Nonstick coating** 



Detachable Temperature control

Space Saving Storager

INCLUDES







